



Material Safety Data Sheet

Revision Date 01-March-2016
Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING



Product identifier

Product name Premium Concrete Form Release-Petroleum Based

Other means of identification

Product Code(s) CFRP
Synonyms No information available

Recommended use of the chemical and restrictions on use Recommended Use

Lubricating Fluid **Uses advised against** No
information available

Details of the supplier of the safety data sheet

Manufacturer Address

CEA Niskayuna, LLC
1080 Catalyn St
Schenectady, NY 12303

Emergency telephone number

Company Phone Number 1-888-423-8357

Company Emergency Phone Number 1-888-423-8357

Emergency telephone number 1-800-423-8357

2.

HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous under criteria of the 2015 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

EMERGENCY OVERVIEW

Appearance pale brown

Physical state viscous liquid
Odor Mild petroleum odor

Hazards not otherwise classified (HNOC)

Other information

- Prolonged or repeated contact may cause skin irritation.
- Toxic to aquatic life without long lasting effect

Unknown Aquatic Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name
Chemical Family

Hydrocarbon Concrete Lubricating Fluid with Methyl Esters from Lipid sources
Petroleum hydrocarbon and Methyl Esters mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	0-87	*
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	0-83	*
Residual Oils (petroleum), solvent-dewaxed	64742-62-7	0-20	*
2-ethylhexyl zinc dithiophosphate	4259-15-8	0.24-0.35	*
2,6-di-tert-butylphenol	128-39-2	0.03-0.06	*
calcium alkylarylsulphonate	90194-27-7	0.01-0.03	*
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	0-99	*
Fatty Acid Methyl Ester	129828-16-6	0-99	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice	No hazards which require special first aid measures.
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.
Skin contact	Wash off immediately with soap and plenty of water. Repeated exposure may cause irritation. Remove contaminated clothing shoes and clothing and cleanse affected areas immediately. If irritation or redness develops, seek medical attention.
Inhalation	Move exposed persons to fresh air. Consult medical personal if breathing issues occur.
Ingestion	DO NOT INDUCE Vomiting. Give 1 or 2 glasses of water to drink. Consult medical personnel if gastrointestinal symptoms develop.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Flash Point 130°C (266°F) Water can be used to keep surrounding materials cool.

Small Fires Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient. Use to cool drums.

Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products: Carbon monoxide. Carbon dioxide (CO₂).

Explosion data

Sensitivity to Mechanical Impact: None.
Sensitivity to Static Discharge: None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6.

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain. Use absorbent materials for salvage or disposal. Wash hard surfaces with safety solvent or detergent to remove remaining oily film. May result in slippery surfaces.

Methods for cleaning up Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways. Oil soaked rags can cause spontaneous combustion if not properly washed and disposed of.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area between 50°F and 120°F. Always follow local, state, and federal guidelines for storage of material for amount stored. Do not puncture, drag, or slide container. Drum is not a pressure vessel (never use pressure to empty)

Incompatible Products Keep away from strong oxidizing agents.

8.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

Respiratory: Use general ventilation, local exhaust suggested in confined spaces, avoid vaporization.

Protective Clothing: Safety Goggles/Face Shield recommended along with PVC gloves.

Other Protective Measures: Practice good hygiene and wash any exposed skin, and launder contaminated clothing before re-use.

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

If splashes are likely to occur, wear: Goggles. Eye/face Protection.

Irrigate eye with water for at least 15-20 min. Seek medical attention if symptoms persist.

Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	viscous liquid	Odor	Mild petroleum odor
Appearance	pale brown	Odor threshold	No information available
Color	pale brown		

Property Values

pH	No information available
Melting point/freezing point	No information available
Boiling Point/Range	760mm Hg:<200°C Volatile

Remarks - Method

Flash point	> 130 °C / > 266 °F	Cleveland open cup (COC)
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air	No information available	
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	Hg:<2 Evaporation Butyl	
Vapor density	Air=1:>1	
Specific gravity	(H2O=1):0.88	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Auto ignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity		22-150 @40C mm2/s
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other information

Softening point	No information available
VOC Content	No information available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat. High energy sources of ignition.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system, dizziness and nausea, Remove to fresh air.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	May cause eye/skin irritation. Prolonged skin contact may defat the skin and produce dermatitis.
Ingestion	Do NOT taste or swallow. Consult medical personnel. Give 1-2 glasses water to drink.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
2-ethylhexyl zinc dithiophosphate 4259-15-8	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
2,6-di-tert-butylphenol 128-39-2	> 5000 mg/kg (Rat)	> 10 g/kg (Rabbit)	-
calcium alkylarylsulphonate 90194-27-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	-	Group 1	-	X
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	Group 1	-	X
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	-	X

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	-	79.6: 96 h Brachydanio rerio mg/L LC50 semi-static 3.2: 96 h Pimephales promelas mg/L LC50 semi-static	-
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
2-ethylhexyl zinc dithiophosphate 4259-15-8	1.0 - 5.0: 96 h Pseudokirchneriella subcapitata mg/L EC50	10.0 - 35.0: 96 h Pimephales promelas mg/L LC50 semi-static 1.0 - 5.0: 96 h Pimephales promelas mg/L LC50 static	1 - 1.5: 48 h Daphnia magna mg/L EC50
2,6-di-tert-butylphenol 128-39-2	-	-	0.45: 48 h Daphnia magna mg/L EC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
2-ethylhexyl zinc dithiophosphate 4259-15-8	2.86

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Waste Disposal Method**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

DOT

Not regulated

IATA

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR
TRANSPORT UNDER ICAO TI OR IATA DGR

International Inventories

15. REGULATORY INFORMATION

TSCA	Does not comply
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Does not comply
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (29 CFR 1910.1200.) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 261.20-24). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

**Concrete Form Release-Petroleum
Based**

Revision Date 01-Mar-2016

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-ethylhexyl zinc dithiophosphate 4259-15-8	X	-	X

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION

NFPA
Flammability 1

Health hazards 0
Instability 0

Physical and Chemical
Hazards -

HMIS
Flammability 1

Health hazards 0

Physical hazards 0 Personal protection X

Issuing Date 08-Mar-2013

Revision Date 01-Mar-2016

Revision Note
(M)SDS sections updated 2 3 5 7 9 10 11 14 16

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS